

NEW

MBB
BY PALFINGER

MBB PTC 2000 S
INNOVATIVE WORKHORSE



MBB.DE

NEW**MBA**

MBB PTC 2000 S

NEXT GENERATION: NEW WORKHORSE

INNOVATIVE HEAVY-DUTY TAIL LIFT OUT OF THE NEW PTC SERIES


- Reliable workhorse out of the new PTC series in a new form
- Specially developed for the high demands of fleet operators and food and beverage distribution
- 2000 kg lifting capacity with load distance of 1000 mm
- Four-cylinder lifting mechanism with three lifting arm lengths from 800 to 1000 mm
- Three-part underrun protection device
- Available with aluminium or steel platform
- Large selection of special equipment available

WEIGHTS

Platform Type	Height (mm)	Width (mm)	Weight (kg)
Aluminium	1850	2500	569
	1950	2500	575
	2050	2500	582
Stahl	2009	2500	660
	2109	2500	673


LOAD DIAGRAM

a (mm)	Q (kg)
1000	2000
1250	1600
1600	1250
1900	1050
2200	910



DIMENSIONS

Lifting arm lengths (mm)	800	900	1000
H (max.) loading height, unloaded	1345	1444	1651
H (min.) loading height, loaded	916	1006	950
F (max.) middle of main beam to upper edge of loading floor	785	820	977
K (min.) at dimension F (max.)	641	751	721
D (min.) installation dimension	791	901	871
F (min.)	566	614	569
K (max.) at dimension F (min.)	820	907	1041
D (max.) installation dimension	970	1057	1190



TECHNICAL DATA

Type	MBB PTC 2000 S
Lifting capacity	2000 kg
Main beam (mm)	180 mm x 180 mm
Lifting gear hydraulics	2 lifting cylinders / 2 tilting cylinders
Platform overlap with floor	-63 mm
Lifting arm pitch	1300 mm
Load centre, longitudinal	1000 mm
Load centre, across centre	Central, 50% of rated load on one side
Inclination angle of the platform	+90° to -10°

PALFINGER Tail Lifts GmbH
 Court of Registry: Oldenburg
 Commercial Register No.: 218535
 Managing Director: Andreas Boch

Fockestraße 53
 27777 Ganderkesee, Germany
 Phone +49 4221 853 0
 infombb@palfinger.com

MBB.DE

The tail lifts pictured feature special customer-specific equipment. Country-specific regulations must be considered for the tail lift installation. Dimensions may vary. Subject to technical changes, errors and translation mistakes.