

PALFINGER

PALFINGER TAIL LIFTS PASSENGER SYSTEMS

LIFETIME EXCELLENCE



THE RAMP SOLUTION FOR BUSES AND TRAMS



- Fully automatic, electric ramp
- Designed for use in low-floor buses or trams
- Convenient and safe entry for wheelchair users
- Easy and fast maintenance

SAFETY DEVICES

- Sensitive edge at the end of the platform
- Control with diagnostic function
- MEDIRAMPE is integrated in safety circuit
- Safety markings
- Anti-slip surface
- Outputs for acoustic and visual signals
- Step on sensor
- CR 1000 with LED light strip

	Floor Version Ramp FV	Cassette Ramp CR
Installation	in the floor	under the floor
Cassette length (mm)	850	1480
Cassette width (mm)	1040	1137
Cassette height (mm)	60 / 74	70
Platform length (mm)	350 / 690	1095
Platform width (mm)	920	920
Lifting capacity (kg)	350	350
Voltage (V)	24	24
Dead weight (kg)	approx. 60	approx. 65
Extension and retraction time (sec.)	3 - 6	8
Drive	electrical	electrical

FLOOR VERSION RAMP

CASSETTE RAMP



PALFINGER

**PALFINGER Tail Lifts GmbH
Fockestraße 53
27777 Ganderkesee | GERMANY**

T +49 4221 853 0

**passenger@palfinger.com
www.palfinger.com**