



SCANIA

R 660 B8x2*6NB



Guided Offering

Initial selections

Application	Flatbed with crane	02758AX
Operation	Urban	02759A
Industry	Building & Construction	02790AG
Cab type	CR20N	00889FT

General

Type

Chassis adaptation	Basic	01163B
Wheel configuration	8x2*6	00448P
Chassis height	Normal	00272B
Suspension system	air front + air rear	00828B
Steering wheel position	left hand	00403B

Certificates and plates

WVTA, Whole Vehicle Type Approval according to EC	incomplete	04049B
Plate language	German	00003C

Dimensions

Chassis width	2550 mm	00058E
Max truck height	4 meters 96/53/EG	03239A
Axle distance	4750 mm	01406JD
Dimension JA/BEP L020 (Bodywork Exchange Parameters)	3100 mm	01537LU
(Read only code) Bogie distance rear axle 1-2	1350 mm	05737E
(Read only code) Steering angle 1st, RH turn	39 max	01345M
(Read only code) Steering angle 1st, LH turn	47 max	01346BD

Weights



Legal weight 1st axle	9000 kg	02751E
Legal weight 2nd axle	9000 kg	02752E
Legal weight 3rd axle	9500 kg	02753EE
Legal weight 4th axle	7500 kg	02754CE
GVW legal	32000 kg	06175KY
(Read only code) GVW technical	37000 kg	06177MW
Gross Train Weight, GTW Legal	40000 kg	00771DA
GTW technical	120000 kg	06214IA

Packages

Interior

Smart Dash Infotainment package	Premium	02815B
--	---------	--------

Smart Dash infotainment package Premium is a performance stage for customers with greater needs and higher requirements for connection and digitisation. The performance stage offers a higher infotainment level, extra camera connection and voice control. The package includes: Electrical system generation, 7, 09742B Driver interaction interface, Medium, 09917B Interactive centre display, 12.9 inch, 09488B Infotainment buttons in steering wheel, with, 05203A Bluetooth connection, 2 pcs, 09511B USB port instrument panel driver's side, data port with charging, 09775A Radio DAB, with, 09602A Media play, with, 09861A Camera input analog 1, with, 09573A Voice control, with, 09534A Loudspeakers, 4x20W, 02176Bor Loudspeakers, 4 x 20W with dual coil, 02176C Android Auto, with, 09571Aand/or Apple CarPlay, with, 09572A

Safety and security

General Safety Regulation (GSR) 2024 package	with	02811A
---	------	--------

By choosing the package, the vehicle is specified with all customer choices required to fulfil the General Safety Regulation (GSR) 2024. The package includes: Tyre pressure monitoring, with, 03549A Emergency brake indication, with, 08775A Driver attention support, with, 07261A Vulnerable road user detection rear, with, 09631A Vulnerable road user collision warning front, with, 09105A Speed sign information, with, 09103A Speed sign information source, camera + map, 09104C Speed sign information audible warning setting, on as default, 09422A SSI with map updates, 7 years, online, 02809A or SSI with map updates, 7 years, 02809C Vulnerable road user collision warning side, left side, 09824Aor Vulnerable road user collision warning side, right side, 09824B

Engine

Engine

Propulsion	combustion engine	04034A
Fuel	diesel	00520A
Emission level	Euro 6	02471J
Engine type	DC16 122 660 hp Euro 6	00408TC
Engine type: V8 diesel engine		
Displacement: 16.35 dm ³		
Max. output at 1900 rpm: 660 hp (485 kW)		
Max. torque at 950-1400 rpm: 3300 Nm		
Emission control technology: SCR		
Emission class: Euro 6 E		
SCR, Selective Catalytic Reduction	with	03488A
NOx control	with	03636A
Torque reduction NOx-control	with	03719A
Oil level indication	with	03829A
Noise suppression	79/81 dBA R51.03	00472AN

Air intake

Air intake	front	02253E
Cab air filter type	normal	08400A



Cooling system

Coolant freeze point	freezing point -25 degrees Celsius	03925A
-----------------------------	------------------------------------	--------

Exhaust system

Exhaust outlet, direction	backwards	00392B
(Read only code) Silencer length	900 mm	04329C
(Read only code) Exhaust silencer longitudinal position (XM)	4626 mm	04810K

Gearbox

Gearbox

Gearbox	G33CM	00017WA
G33CM is a 14-speed range-splitter gearbox that includes crawler gear and overdrive. The gearbox has a large gear ratio range and can therefore be used in many different types of operation.		
Max. torque: 3300 Nm		
Total gear ratio range: 26.81		
Lowest gear ratio: 20.81:1 crawler gear (C)		
Highest gear ratio: 0.78:1 overdrive (OD)		
Gear selector position	steering wheel	03574B
Reverse gear quantity	4	08968D
4 reverse gears available via the gearbox's planetary gear. Maximum speed for reversing depends on which rear axle gear is specified.		
Oil cooling for gearbox	with	00387A
Refrigerant oil cooler gearbox	refrigerant air	02123A

Opticruise

Opticruise	with	02519A
Scania Opticruise is an automatic gear changing system for manual gearboxes.		
Performance modes	economy, standard, power	05112A
Cruise control with active prediction	with	04844A
Kickdown	with	04370A
Starter interlock gearselector	with	05735A

Clutch

Clutch system	automatic	03575B
Automatic clutch control, together with Opticruise, gives a completely automated shifting system.		

Axles

Front axles

Axle weight front, technical	2 x 10000 kg	00073AD
-------------------------------------	--------------	---------

Rear axles

Bogie weight, technical	19000 kg (10500 + 8500)	00552AB
Rear axle gear	R780	00021AK
Rear axle gear ratio	2,92	00022AZ
Differential lock	with	00020A

PTO

Clutch independent PTO

Power Take-Off ED	ED160P	04827C
Factory-fitted engine power take-off located at the rear edge of the engine. Designed for direct installation of equipment on Scania 16-litre V8 engines. Gear ratio: 1:1,19 Max. torque 800 Nm Opticruise does not change gear correctly if power take-off torque exceeds 300 Nm while driving.		
PTO ED electrical preparation	with 1 circuit	03543A

PTO



PTO EG rear type	EG10R DCP1B	06392EL
Power take-off with high gear ratio. Gear ratio low/high splitter gear: 1:1.19/1:1.53 Max. torque 1000 Nm Max. power output, continuous: 100/160* kW Max. power output, periodic (60 min): 140 kW Direction of rotation: Anticlockwise* With gearbox oil cooling.		

Fuel tanks

General

Fuel tank, left hand side	310L aluminium	02626LF
(Read only code) FOU, Fuel Optimisation Unit	with	08385A
Fuel tank longitudinal positioning	rearward	08507B
Fuel tank location	normal	01368B
Fuel filler cap	lockable	00518A
Fuel label according to EC	with	07462A
Fuel heater	with	00557A
Fuel splash protection	with	03974A

SCR tanks

SCR heating system	with	04287A
SCR reductant tank volume side RHS	47 dm3	04318A
SCR reductant tank filler cap	lockable	04334A

Chassis

Frame

Frame, type	F957	00458L
Body attachment bracket, front set	bracket vertical reinforced	03303K
Bodywork holes configuration frame	entire frame length	07432A
Frame reinforcement rearwards	normal	08391A

Steering

Front axle steering system type	electrohydraulic	07281A
Steering system backup	differential braking (RBS)	07651B
Steering force 70/311/EEC	with	01367A
Manoeuvrability according to 97/27/EC	yes	02127A
Steering wheel type	V8	02153K
Adjustable steering wheel	tilt + slide	02991C
Airbag steering wheel	with	04908A

Suspension front

Air spring height, front	low	01334B
---------------------------------	-----	--------

Suspension rear

Air suspension rear type	2-spring	03226A
Shock absorber rear axle	with	02259A
Level adjustment speed	fast	02487F
Level adjustment control truck/trailer	truck	04029A
Alternative predefined chassis levels	exhausted bellows + 2 memory	02488F
Load transfer according to EC 97/27	yes	02972A
Load transfer	with	01353AA
Load transfer limit	14900 kg	06028F
Load transfer manoeuvring	max load transfer request	06029B



Speed limitation for load transfer	30 km/h	01911D
Axle load display	front and rear	02478A
Anti-roll bar		
Anti-roll bar, front	extra stiffness	00092D
Electrics		
Battery	230 Ah	00095AM
Battery position	left hand side	03979A
Alternator charge	100 A	01122D
Battery master switch manoeuvring	double acting left side frame	02410D
Battery monitoring	with	07351A
Preparation for toll collect	with	03501A
Wheels & Mudguards		
Tyres		
Tyre type front axle Bridgestone	385/65R22.5 Regional Steer Bridgestone Duravis R-STEER 002 EVO	10101MQ
Tyre type driving rear axle Bridgestone	315/80R22.5 Regional Drive Bridgestone Duravis R-DRIVE 002	10102LG
Tyre type tag axle behind driving axle Bridgestone	315/80R22.5 Regional Steer Bridgestone Duravis R-STEER 002	10104LF
Rims		
Rim type front axle	22.5 x 11.75 aluminium DuraBright	05001FG
Rim type rear axle	22.5 x 9.00 aluminium Alcoa DuraBright	05002DK
Rim type tag axle behind drive axle	22.5 x 9.00 aluminium Alcoa DuraBright	05004DK
Wheel equipment		
Sticker wheel nut retight	German language	03688C
Wheel chock	2 pieces	01233B
Tyre pressure monitoring	with	03549A
Mudguard front		
Front mudguard size	675 mm	05071B
Spray-suppression according to EU 109/2011	with	05828A
Spray suppression	with	01421A
Mudflap, front	with	00053C
Brakes		
Brake system		
Brake category	AB	01493AB
Brake adaptation	Rigid	00039B
Wheel brake	disc	01405B
Brake control combination	electronic with disc brake	02647B
Emergency braking indication	with	08775A
Hill hold	auto hold	03485B
ESP, Electronic Stability Programme	with, non disabling	02439A
ESP setting for ABS trailer	with	04386A
APS, Air Processing System	air management	02458B
Parking brake system	electropneumatic	06171B



Parking brake trailer control	braked by service line	05848A
Wheel brakes		
Brake chamber type 1st front	membrane + spring	00028B
Brake chamber type, 2nd front	membrane + spring	00005B
Brake chamber type, 1st rear	membrane + spring	00008B
Brake chamber type trailing tag axle	membrane + spring	01175B
Auxiliary brakes		
Retarder type	R4700D	04579F
Auxiliary brake control	manual + automatic	06302C
Trailer brakes		
Trailer brake	with	00027A
Body & chassis adaptation		
Rigid		
Drawbeam	with	01529C
Drawbeam type	Central DB5A	01536S
Drawbeam position	retracted 250 mm	03717JA
Bodywork interface		
Bodywork Communication Interface, BCI	with	05837A
Bodywork info in Instrument Cluster	with	03888A
<p>By means of lamps, sounds and display messages in the instrument cluster the bodywork has many options for providing the driver with information. There is access to 8 lamps, all with the option to indicate with different colours. There are also a number of pre-defined display messages and a total of five different sounds. All information is adapted to Scania's information levels: alarm system, warning, information and status. In order to be able to activate 2 of the 8 positions using sound and colour, the necessary connectors and cable harnesses are fitted at the factory, 03888. For the option to program and activate all 8 positions, BCI control unit, 05837A, and ICL with full functionality, 03888A, must be selected in combination. 9 different variants of symbol lens can be ordered via variant code 07331.</p>		
Bodywork programmable switch preparation	with	07682A
<p>Programmable switch, as well as complete modules, can always be relocated in the instrument panel using SDP3. If Preparation for programmable switch is specified for bodywork, with, 07682A, there is also the option to add new switches. The option creates an extra function in BICT that makes it possible to program the BCI control unit.</p>		
Pushbutton BCI reserved quantity	8 pcs	06793H
Switch positions BWE reserved quantity	4	07128D
<p>Four space reservations for electrical bodywork switches in the instrument panel.</p>		
Cable harness for bodybuilder	7+7+7	02411F
<p>Three 7-pin cable harnesses from the bodywork's central electric unit routed under the cab.</p>		
Cable harness for bodybuilder frame	8 m	03023D
<p>Eight metre long bodybuilder cable for connection of equipment to the rear of the frame.</p>		
Cable harness for bodybuilder roof	with	03024A
<p>Wiring is pre-routed from the central electric unit, via the passenger side A-pillar to the roof shelf on the driver's side.</p>		
Cable harness additional switches	with	03314A
<p>The dashboard is prepared with wiring for 4 extra switches, 2 on each side of the steering wheel.</p>		
Remote control engine start	prepared	03313B
<p>Prepared for remote control engine starting. Includes extra pressure sensors to check that the parking brake is applied and the gearbox in neutral.</p>		
Trailer connections		



Trailer connector bracket	rear frame end	01369B
Trailer connectors	Continental	01556A
Trailer brake connection	Type ISO	00463A
Trailer electric connector	1x15 pole ISO 12098	00664D

Miscellaneous

Registration plate holder rear type	panel	04499A
--	-------	--------

Cab exterior

Cab general

Cab suspension	air comfort	02521G
Air Comfort, with 4-point air suspension, integrated shock absorbers and level adjustment.		
Cab tilting	mechanical	01659B

Exterior

Roof hatch	electric	02177B
Roof rail	long	01401E
Horn on cab roof	with	05175A
Sun visor, external	with	00060A
Roof air deflector height	5 cm	03968C
Side air deflector length	12 cm	03969D
Horn in front, type	compressed air 118 dB	05174A
Door window air deflector	with	05613A
Boarding step lighting symbol projection	V8	09882B
Exterior contrast decor on door and cab side wall	with	07441A

Front bumper

Front Underrun Protection, FUP directive	FUP device	02398B
Bumper protrusion	0 mm	04932A
Bumper beam vertical position	high	05065A

Windows

Windscreen	tinted	02313A
Rain sensor	with	05121A
Door window glass type	laminated	05084C
Window, rear wall	without	00066B

Mirrors

Rear view mirror glass driver side	spherical	04935B
Rear view mirror glass passenger side	spherical	04936B
Rear view mirror type	A	04934A
Rear view mirror casing shape	smooth	06784A
Rear view mirror heating	with	04937A
Rear view mirror electrical adjustable	passenger and driver side	05128B
Wide angle mirror	driver + passenger side	02181C
Close-proximity mirror	electrical adjusted + heating	04938C
Front view mirror	electrical adjusted + heating	01902E

Lock and alarm

Locking type cab	remote central locking	05123C
-------------------------	------------------------	--------



Security central locking	with	04240A
Frequency remote lock	433 MHz	03889A
Number of keys/remotes	two	02343A
Immobiliser	with	02344A

Lamps

Headlamp type	LED	02983F
Dipped beam automatic	with	05058A
Headlamp asymmetry	Right hand	00474A
Daytime Running Light, DRL function	with LED DRL + position lamps	03908B
Headlamp levelling	manual	02415C
Headlamp cleaning	with	02416A
Spotlamp in roof	with	05051A
Spotlamp in front grille panel	with	05052A
Fog lamp front type	LED 3 diods	06044C
Cornering light	with	05054A
End outline marker lamp	white	01313A
Identification lamp	Prepared	01838E
Beacon	prepared	01330B
Preparation for rotating beacon. The preparation includes pre-routed cable harness to plugged holes in the cab roof and a switch installed in the cab. Order suitable warning lamp via accessories.		
Side marker lamps	temporarily mounted	00313B
Amber-coloured side marker lamps with light-emitting diodes, temporarily fitted on the frame. The bodybuilder or other workshop must fit them in accordance with national legislation in force.		
Side marker lamp direction indication	with	07176A
With direction indicators in the side marker lamps. When the driver signals a turn using the direction indicator lever, the side marker lamps flash as well. When the hazard warning signal is activated, the side marker lamps and all direction indicator lamps flash as well. This is a European legal requirement for vehicles more than 9 metres long. Whole Vehicle Type Approval (WVTA) is not met without this. Advantages for the customer Safety: This indicator provides other road users with an earlier warning of forthcoming turns, thereby enhancing safety.		
Taillamp type	bulb	03981A
Taillamp position	on bracket	01532A
Taillamp cable length	extended 600 mm	01533A
Reverse alarm	with reduced sound level	02412C

Cab interior

Seats

Seat category, driver side	premium	01431J
Air suspension seat with adjustable shock absorption. The following settings can be made: position, height, seat cushion length, backrest, lumbar support, inclination, damping and side supports.		
Seat category, passenger side	premium	01432J
Seat upholstery driver side	V8 leather black with red stitch	05028G
Seat upholstery passenger side	V8 leather black with red stitch	05029G
Seat adjustable shock absorber driver side	with	05022A
Seat adjustable shock absorber passenger side	with	05023A
Seat upper backrest adjustable driver side	with	04309A
Seat upper backrest adjustable	with	04310A



passenger side		
Seat ventilation driver side	with	04311A
Seat ventilation passenger side	with	04312A
Seat heating driver side	with	05024A
Seat heating passenger side	with	05025A
Driver's seat lumbar support	with	08923A
Passenger seat lumbar support	with	08924A
Seat armrest driver side	with	05026A
Seat armrest passenger side	with	05027A
Safety belt warning	driver's and passenger seat	08615A
Warns with acoustic signal and warning lamp when a safety belt is not buckled. The warning is activated when speed exceeds 25 km/h or after a certain distance driven above 10 km/h.		
Seat belt pretensioner	driver + passenger side	01790B

Beds

Bed lower	800 - 1000 mm extendable	06563B
Bed lower, mattress	pocket spring	05211C
Bed lower length extension	with	08557A
Bed safety net	with	03686A

Storages

Instrument panel additional module	accessory panel	06311B
Instrument panel table centre position	with	07218A
Instrument panel equipment passenger side	table	08488B
Waste bin	door driver's + passenger side	05612C
Storage compartment above door	with	05854A
Storage rear lower, driver side	refrigerator	05158C
Storage rear lower, passenger side	drawer	05159A
Roof shelf rear wall	with	05241A
External storage compartment	driver and passenger side	02530C

Interior

Wall panel and headlining material	textile	02299B
Door trim panel type	black leatherette with V8-styling	09109E
Side panel colour	dark	05209A
Sun visor internal type	electric sun blind	09503A
Sun visor driver door	blind	06172B
Boarding grab handle colour	black	08081A
Airbag side curtain	driver and passenger side	04909B
Curtain door & windscreen	with	00143A
Curtain for bed	with	00419A
Protective mats floor	V8	02162F
Mat centre floor	V8	02168F

Instruments

Electrical system generation	7	09742B
Instrument panel finish	soft	02172G
Instrument panel colour	black/black	03848E
Interior colour scheme	V8	02740E



Instrument panel decorative strip	red	03847K
Window winder control activation	ignition on or unlocked door	07411A
Tachograph	smart 2 Stoneridge	02303US
Smart digital tachograph from Stoneridge that facilitates remote reading and automatic recording at border crossings.		
Tachograph data upload	with	03956A
Speed limitation	89 km/h	06445GJ
Speed limitation legal	90 km/h	06446H
Adaptive Cruise Control, ACC	with	03583A
Scania Lane Departure Warning, LDW	with	03601A
Advanced Emergency Braking, AEB	vehicle	04335B
Driver attention support	with	07261A
Sticker assistance	Ph +492618878888	03685DE
Sticker vehicle towing	German language	03687C
Lane keep assist	with	07338A
Blind spot warning	with	07339A
Vulnerable road user collision warning front	with	09105A
Vulnerable road user collision warning side	right hand side	09824B
Vulnerable road user detection rear	with	09631A
A rear view camera is fitted on the vehicle. The camera view is shown in the centre display. Depending on vehicle specification, the camera is installed in different positions. On a tractor, it is fitted on the frame, for example. The camera's viewing angle is 180 degrees, which makes it possible for the driver to see the entire area behind and closely adjacent to the vehicle. In this way, the driver can see if any person, vehicle or other object is approaching.		
Lane change collision prevention	with	07340A
Camera input analogue 1	with	09573A
Speed sign information	with	09103A
Speed sign information source	camera + map	09104C
Speed sign information audio warning setting	default on	09422A
Vehicle speed displayed unit	km/h	09489A

Climate system

Climate system heating	with	05208A
Air conditioning	with	00097A
Climate system control	automatic	02200B
Auxiliary cab cooler	with	05195A
Auxiliary heating	WTA cab heater 3kW	00118R

Lighting

Internal lighting	ambient	04843C
Dome lamps with integrated reading lamp. Boarding lamp. Background lighting by cup holder. Lamps in the roof shelf. Supplementary internal lighting can be added by specifying with variant code family 05974 and 05975.		
Internal light control rear wall	advanced	08728B
Background lighting below instrument panel	with	05974A
Reading lamp lower bed	right side	03758A

Communications



Infotainment buttons on steer wheel	with	05203A
Interactive centre info display	10"	09488A
<p>Infotainment system equipped with 10.1-inch colour display. The display has HD resolution (1280 x 720 px) and touch functionality. It is integrated into the instrument panel, but with the frame exposed so that the driver can easily support their hand while manoeuvring. Voice control 09534A can be specified for even smoother and safer manoeuvring. The display has five menu options, the first three of which are fixed and consist of Vehicle Menu, Home and Apps. The last two menu items can be selected. The Vehicle menu contains digital buttons, grouped by functionality. The buttons available in the menu are dependent on the vehicle specification. Home is the homepage for the display. Shortcuts to optional apps can be added to this page for easy access. If Apple CarPlay® 09572A or Android Auto™ 09571A is specified, their app launcher is placed on the Home page. The Apps page contains different types of media. This may include AM/FM radio 09601A or DAB radio 09602A, depending on the options selected. Other types of media such as music or video can be accessed via Bluetooth (selected with 09511) or USB (selected with 09775 or 09776). Other functions can be accessed via Apps, such as: Navigation (selected with 02807) Phone Settings Internal lighting Climate Rear view camera (selected with 09631A).</p>		
Driver interaction interface	medium	09917B
<p>Driver interaction interface medium is a higher performance level, with capacity for most of the functions needed by the driver, such as: centre display. vehicle information (warnings and settings). radio/media playback. hands-free telephone services. rear view camera. phone mirroring. navigation. apps.</p>		
Auxiliary symbols in interactive driver display position 1	crane extended	10222BS
Auxiliary symbols in interactive driver display position 2	supporting leg	10223BR
Auxiliary symbols in interactive driver display position 5	EG1 PTO	10226AS
Auxiliary symbols in interactive driver display position 6	towing unit locked	10227AC
Auxiliary symbols in interactive driver display position 7	towing unit unlocked	10228AB
Voice control	with	09534A
Voice control language 1	English GB	10622E
Remote control for climate and infotainment system	with	05199A
Loudspeaker	4 x 20W with dual coil	02176C
Subwoofer	with	05202A
Radio AM/FM	with	09601A
Radio DAB	with	09602A
Radio tuner region	Europe	06405A
SSI with map updates	7 years, Online	02809A
Map data main operational region	Europe	10313A
Bluetooth connection	2 pcs	09511B
Wi-Fi	with	09515A
Apple CarPlay	with	09572A
Media playback	with	09861A
USB charging port rear wall	with	06500A
USB-port in instrument panel driver side	data port with charging	09775A
CB radio	prepared with 12V outlets	00391C
Communicator	C400	03808E
FMS, Fleet Management System preparation	Gateway (interface)	04019A
Rear view camera extension cable	7.5 m	10080A
24 volt electrical socket in cab	basic configuration	10522A



Remote update OTA (Over The Air)	with	09357A
----------------------------------	------	--------

Manuals

Driver's manual language	German	06151C
Driver's manual extra language	English	06152A

Rescue equipment

Rescue equipment

Hose for tyre inflation	20 meter	00035B
Jack	with	00466E
Rescue equipment except fire extinguisher	with	00083F
Warning triangle	1 piece	06534A
Emergency hammer	with	03584A
Bulb and tool kit	with	05133A

Colour

Cab

Cab paint type	solid	06527A
Cab colour white	Ivory White	06491A

Chassis

Chassis colour grey	Sub Grey	06778AP
---------------------	----------	---------

Multi Colour Concept (MCC)

Contrast painting cab	with	06533A
Contrast colour	Charcoal Grey (RAL7021 CM)	06481L
Bumper painted	cab colour	02461C
Hub ends	contrast colour	04006D
Front grille upper panel colour	cab colour	06010A
Front grille upper ribs colour	cab colour	06021A
Front grille lower panel colour	cab colour	06022A
Front grille lower ribs colour	cab colour	06023A
Rear view mirror cover painted	cab colour	06024A
Sun visor external painted	cab colour	06026A
Boarding step front painted low panel	cab colour	06027A
Lamp seal painted	cab colour	06034A
Front wheel arch trim panel painted	cab colour	06037A
Seal between front mudguard and cab painted	cab colour	06038A
Battery box cover painted	contrast colour	06041B
Boarding step front painted upper panel	chassis colour	06412C
Exhaust silencer heat cover painted	contrast colour	06413B

Logistics

Market logistics

Country code	DE - Germany	01256DE
--------------	--------------	---------